

Product Data Sheet UCC Petrolatum Primer

An integral component of the UCC Petrolatum System, providing long term corrosion protection for steel substrates in a multitude of environments.

Description	UCC Petrolatum Primer is composed of neutral petrolatum compound,					
	stabilised with inert fillers and complemented with corrosion inhibitors.					
Uses	UCC Petrolatum Primer is designed to prepare the substrate for UCC Petrolatum					
	Mastic and UCC Petrolatum Tapes					
Features	- Surface Tolerance on marginally prepared substrates ; St 2.0					
	- Conforms to irregular shapes and profiles					
	- Can be applied to cold, wet substrates					
	- Unaffected by water, acid, salts, or bacterial attack					
	- Encapsulates lead painted substrates					
	- Nil VOC's					
	- Ease of application at high and low temperature extremes					
	- Ready for immediate service, no curing time.					
	- Conforms with AWWA C 217-04					
Application	- Prepare surface to St 2 std.					
	- Apply UCC Petroatum Primer to substrate ar spread rate of 3kg/m² approx.					
	- Profile projections and voids with UCC Petrolatum Mastic.					
	- Spirally apply tape incorporating 55% overlap to achieve a double thickness with					
	circumferential turn.					
	- Overwrap tape with UCC PVC OverWrap, spirally applied with 55% overlap					

Solutions and Services from UCC				
Pipeline	Marine	Civil	Process	
Canusa Heat Shrink Sleeves	UCC MarineSeal Jetty Pile Systems	UCC VoidSeal Void Filler	Nu Bolt I-Rod System	
Canusa HBE High Build Epoxy	5 Star Pile Refurbishment Systems	JointSeal RC Jointing Tapes	PipeSeal Repair Bandage	
Canusa Visco Elastic Coatings	UCC SteelSeal Sytem	JointSeal Road Repair Tapes	Coating Services Packages	
UCC Petrolatum System	Nu Bolt I-Rod System			
UCC Bitumen Uniflex Wrapping	UCC FlakeSeal Coatings			
UCC 3-Ply Self Amalgamating Tapes	UCC Hatchseal Tape			
UCC Rockshield PE Mesh	Coating Services Packages			
Coating Services Packages				

Universal Corrosion Coatings Pty Ltd 30A Trade Drive, Tullamarine Victoria, Australia 3043 Ph: 61 3 9310 3515

> Fax: 61 3 9310 3524 Web: www.unicc.com.au



Product Data Sheet Petrolatum Primer

An integral component of the UCC Petrolatum System, providing long term corrosion protection for steel substrates in a multitude of environments.

Properties	Test Method	Value
Specific Gravity	N/A	1.1
Solids Content	N/A	> 99.8%
Spread Rate	N/A	4-6m²/kg
Application Temperature	Deg C	Minus 10 to + 45
Service Temperature	Deg C	Minus 20 to +75
Excursion Peak Temperature	Deg C	80

Product Packaging							
Unit Size (Kg)	Unit Packa	ige	Units / Ca	rton	Carton We	eight (kg)
1		Tub		12		13	
4		Tub		4		17	
20		Drum		1		21	
200		Drum		1		210	

Solutions and Services from UCC					
Pipeline	Marine	Civil	Process		
Canusa Heat Shrink Sleeves	UCC MarineSeal Jetty Pile Systems	UCC VoidSeal Void Filler	Nu Bolt I-Rod System		
Canusa HBE High Build Epoxy	5 Star Pile Refurbishment Systems	JointSeal RC Jointing Tapes	PipeSeal Repair Bandage		
Canusa Visco Elastic Coatings	UCC SteelSeal Sytem	JointSeal Road Repair Tapes	Coating Services Packages		
UCC Petrolatum System	Nu Bolt I-Rod System				
UCC Bitumen Uniflex Wrapping	UCC FlakeSeal Coatings				
UCC 3-Ply Self Amalgamating Tapes	UCC Hatchseal Tape				
UCC Rockshield PE Mesh	Coating Services Packages				
Coating Services Packages					

Universal Corrosion Coatings Pty Ltd 30A Trade Drive, Tullamarine Victoria, Australia 3043 Ph: 61 3 9310 3515

> Fax: 61 3 9310 3524 Web: www.unicc.com.au